

## 2007 ADDENDUM HIGHLIGHTS

The following is a list of significant Addendum Highlights to ICD-9-CM for the 2007 Versions becoming effective October 1, 2006.

### DISEASE TABULAR

**New Code 052.2** – Postvaricella myelitis

**New Code 053.14** – Herpes zoster myelitis

**New Code 054.74** – Herpes simplex myelitis

**Code 238.7** – This code was re-classified as a new code subcategory “Other lymphatic and hematopoietic tissues” and includes new codes:

**238.71** – Essential thrombocythemia

**238.72** – Low grade myelodysplastic syndrome lesions

**238.73** – High grade myelodysplastic syndrome lesions

**238.74** – Myelodysplastic syndrome with 5q deletion

**238.75** – Myelodysplastic syndrome, unspecified

**238.76** – Myelofibrosis with myeloid metaplasia

**238.79** – Other lymphatic and hematopoietic tissues

**Code 255.10** – This code title was revised to read “Hyperaldosteronism, unspecified.”

**Code 277.3** – This code was re-classified as a new code subcategory “Amyloidosis” and includes new codes:

**277.30** – Amyloidosis, unspecified

**277.31** – Familial Mediterranean fever

**277.39** – Other amyloidosis

**Code 284.0** – This code was re-classified as a new code subcategory “Constitutional aplastic anemia” and includes new codes:

**284.01** – Constitutional red blood cell aplasia

**284.09** – Other constitutional aplastic anemia

**New Code 284.1** – Pancytopenia

**New Code 284.2** – Myelophthisis

**Code 285.2** – This code was revised to read “Anemia of chronic disease.”

**Code 288.0** – This code was revised to read “Neutropenia” and re-classified as a new code subcategory and includes new codes:

**288.00** – Neutropenia, unspecified

**288.01** – Congenital neutropenia

**288.02** – Cyclic neutropenia

**288.03** – Drug induced neutropenia

**288.04** – Neutropenia due to infection

**288.09** – Other neutropenia

**New Code 288.4** – Hemophagocytic syndromes

**Code 288.5** – This new code subcategory was added to separately identify “Decreased white blood cell count” and includes new codes:

**288.50** – Leukocytopenia, unspecified

**288.51** – Lymphocytopenia

**288.59** – Other decreased white blood cell count

**Code 288.6** – This new code subcategory was added to separately identify “Elevated white blood cell count” and includes new codes:

**288.60** – Leukocytosis, unspecified

**288.61** – Lymphocytosis (symptomatic)

**288.62** – Leukemoid reaction

**288.63** – Monocytosis (symptomatic)

**288.64** – Plasmacytosis

**288.65** – Basophilia

**288.69** – Other elevated white blood cell count

**New Code 289.53** – Neutropenic splenomegaly

**New Code 289.83** – Myelofibrosis

**Code 323** – The codes in this category were re-classified as new subcategories and include new codes:

**323.01** – Encephalitis and encephalomyelitis in viral diseases classified elsewhere

**323.02** – Myelitis in viral diseases classified elsewhere

**323.41** – Other encephalitis and encephalomyelitis due to infection classified elsewhere

**323.42** – Other myelitis due to infection classified elsewhere

**323.51** – Encephalitis and encephalomyelitis following immunization procedures

**323.52** – Myelitis following immunization procedures

**323.61** – Infectious acute disseminated encephalomyelitis (ADEM)

**323.62** – Other postinfectious encephalitis and encephalomyelitis

**323.63** – Postinfectious myelitis

**323.71** – Toxic encephalitis and encephalomyelitis

**323.72** – Toxic myelitis

**323.81** – Other causes of encephalitis and encephalomyelitis

**323.82** – Other causes of myelitis

**New Code 331.83** – Mild cognitive impairment, so stated

**Code 333.7** – This code was revised to read “Acquired torsion dystonia” and re-classified as a new code subcategory and includes new codes:

**333.71** – Athetoid cerebral palsy

**333.72** – Acute dystonia due to drugs

**333.79** – Other acquired torsion dystonia

**New Code 333.85** – Subacute dyskinesia due to drugs

**New Code 333.94** – Restless legs syndrome (RLS)

**Code 338** – This new code category “Pain, not elsewhere classified” was added and includes new codes:

**338.0** – Central pain syndrome

**338.11** – Acute pain due to trauma

**338.12** – Acute post-thoracotomy pain

**338.18** – Other acute postoperative pain

**338.19** – Other acute pain

**338.21** – Chronic pain due to trauma

**338.22** – Chronic post-thoracotomy pain

**338.28** – Other chronic postoperative pain

**338.29** – Other chronic pain

**338.4** – Chronic pain syndrome

**Code 341.2** – This new code subcategory was added to separately identify “Acute (transverse) myelitis” and includes new codes:

**341.20** – Acute (transverse) myelitis NOS

**341.21** – Acute (transverse) myelitis in conditions classified elsewhere

**341.22** – Idiopathic (transverse) myelitis

**Code 345.4** – This code title was revised to read “Localization-related (focal) (partial) epilepsy and epileptic syndromes with complex partial seizures.”

**Code 345.5** – This code title was revised to read “Localization-related (focal) (partial) epilepsy and epileptic syndromes with simple partial seizures.”

**New Code 377.43** – Optic nerve hypoplasia

**Code 379.6** – This new code subcategory was added to separately identify “Inflammation (infection) of postprocedural bleb” and includes new codes:

**379.60** – Inflammation (infection) of postprocedural bleb, unspecified

**379.61** – Inflammation (infection) of postprocedural bleb, stage 1

**379.62** – Inflammation (infection) of postprocedural bleb, stage 2

**379.63** – Inflammation (infection) of postprocedural bleb, stage 3

**New Code 389.15** – Sensorineural hearing loss, unilateral

**New Code 389.16** – “Sensorineural hearing loss, asymmetrical

**Code 403** – This code category title was revised to read “Hypertensive chronic kidney disease” and 5th digits were revised to read:

**0** – With chronic kidney disease stage I through stage IV, or unspecified

**1** – With chronic kidney disease stage V or end stage renal disease

**Code 404** – This code category title was revised to read “Hypertensive heart and chronic kidney disease” and 5th digits were revised to read:

**0** – Without heart failure and with chronic kidney disease stage I through stage IV, or unspecified

**1** – With heart failure and with chronic kidney disease stage I through stage IV, or unspecified

**2** – Without heart failure and with chronic kidney disease stage V or end stage renal disease

**3** – With heart failure and chronic kidney disease stage V or end stage renal disease

**New Code 429.83** – Takosubo syndrome

**Code 478.1** – This code was re-classified as a new code subcategory and includes new codes:

**478.11** – Nasal mucositis (ulcerative)

**478.19** – Other diseases of nasal cavity and sinuses

**New Code 518.7** – Transfusion related acute lung injury (TRALI)

**2007 ADDENDUM HIGHLIGHTS**

- Code 519.1** – This code was re-classified as a new code subcategory and includes new codes:  
**519.11** – Acute bronchospasm  
**519.19** – Other diseases of trachea and bronchus
- New Code 521.81** – Cracked tooth
- Code 523.0** – This code was re-classified as a new code subcategory and includes new codes:  
**523.00** – Acute gingivitis, plaque induced  
**523.01** – Acute gingivitis, non-plaque induced
- Code 523.1** – This code was re-classified as a new code subcategory and includes new codes:  
**523.10** – Chronic gingivitis, plaque induced  
**523.11** – Chronic gingivitis, non-plaque induced
- Code 523.3** – This code was revised to read “Aggressive and acute periodontitis” and was re-classified as a new code subcategory and includes new codes:  
**523.30** – Aggressive periodontitis, unspecified  
**523.31** – Aggressive periodontitis, localized  
**523.32** – Aggressive periodontitis, generalized  
**523.33** – Acute periodontitis
- Code 523.4** – This code was re-classified as a new code subcategory and includes new codes:  
**523.40** – Chronic periodontitis, unspecified  
**523.41** – Chronic periodontitis, localized  
**523.42** – Chronic periodontitis, generalized
- Code 525.6** – This new code subcategory was added to separately identify “Unsatisfactory restoration of tooth” and includes new codes:  
**525.60** – Unspecified unsatisfactory restoration of tooth  
**525.61** – Open restoration margins  
**525.62** – Unrepairable overhanging of dental restorative materials  
**525.63** – Fractured dental restorative material without loss of material  
**525.64** – Fractured dental restorative material with loss of material  
**525.65** – Contour of existing restoration of tooth biologically incompatible with oral health  
**525.66** – Allergy to existing dental restorative material  
**525.67** – Poor aesthetics of existing restoration  
**525.69** – Other unsatisfactory restoration of existing tooth
- Code 526.6** – This new code subcategory was added to separately identify “Periradicular pathology associated with previous endodontic treatment” and includes new codes:  
**526.61** – Perforation of root canal space  
**526.62** – Endodontic overfill  
**526.63** – Endodontic underfill  
**526.69** – Other periradicular pathology associated with previous endodontic treatment
- Code 528.0** – This code was revised to read “Stomatitis and mucositis (ulcerative)” and re-classified as a new code subcategory and includes new codes:  
**528.00** – Stomatitis and mucositis, unspecified  
**528.01** – Mucositis (ulcerative) due to antineoplastic therapy  
**528.02** – Mucositis (ulcerative) due to other drugs  
**528.09** – Other stomatitis and mucositis (ulcerative)
- New Code 538** – Gastrointestinal mucositis (ulcerative)
- Code 600.00** – This code was revised to read “Hypertrophy (benign) of prostate without urinary obstruction and other lower urinary tract symptoms (LUTS).”
- Code 600.01** – This code was revised to read “Hypertrophy (benign) of prostate with urinary obstruction and other lower urinary tract symptoms (LUTS).”
- Code 600.20** – This code was revised to read “Benign localized hyperplasia of prostate without urinary obstruction and other lower urinary tract symptoms (LUTS).”
- Code 600.21** – This code was revised to read “Benign localized hyperplasia of prostate with urinary obstruction and other lower urinary tract symptoms (LUTS).”
- Code 600.90** – This code was revised to read “Hyperplasia of prostate, unspecified, without urinary obstruction and other lower urinary tract symptoms (LUTS).”
- Code 600.91** – This code was revised to read “Hyperplasia of prostate, unspecified, with urinary obstruction and other lower urinary tract symptoms (LUTS).”
- Code 608.2** – This code was re-classified as a new code subcategory and includes new codes:  
**608.20** – Torsion of testis, unspecified  
**608.21** – Extravaginal torsion of spermatic cord  
**608.22** – Intravaginal torsion of spermatic cord  
**608.23** – Torsion of appendix testis  
**608.24** – Torsion of appendix epididymis
- Code 616.8** – This code was re-classified as a new code subcategory and includes new codes:  
**616.81** – Mucositis (ulcerative) of cervix, vagina, and vulva  
**616.89** – Other inflammatory disease of cervix, vagina, and vulva
- Code 629.8** – This code was re-classified as a new code subcategory and includes new codes:  
**629.81** – Habitual aborter without current pregnancy  
**629.89** – Other specified disorders of female genital organs
- Code 649** – This new code category was added to identify “Other conditions or status of the mother complicating pregnancy, childbirth, or the puerperium” and includes new code subcategories:  
**649.0** – Tobacco use disorder  
**649.1** – Obesity  
**649.2** – Bariatric surgery status  
**649.3** – Coagulation defects  
**649.4** – Epilepsy  
**649.5** – Spotting complicating pregnancy  
**649.6** – Uterine size date discrepancy
- Code 729.7** – This new code subcategory was added to separately identify “Nontraumatic compartment syndrome” and includes new codes:  
**729.71** – Nontraumatic compartment syndrome of upper extremity  
**729.72** – Nontraumatic compartment syndrome of lower extremity  
**729.73** – Nontraumatic compartment syndrome of abdomen  
**729.79** – Nontraumatic compartment syndrome of other sites
- New Code 731.3** – Major osseous defects
- New Code 768.7** – Hypoxic-ischemic encephalopathy (HIE)
- New Code 770.87** – Respiratory arrest of newborn
- New Code 770.88** – Hypoxemia of newborn
- Code 775.8** – This code was re-classified as a new code subcategory and includes new codes:  
**775.81** – Other acidosis of newborn  
**775.89** – Other neonatal endocrine and metabolic disturbances
- New Code 779.85** – Cardiac arrest of newborn
- New Code 780.32** – Complex febrile convulsions
- New Code 780.96** – Generalized pain
- New Code 780.97** – Altered mental status
- Code 784.9** – This code was re-classified as a new code subcategory and includes new codes:  
**784.91** – Postnasal drip  
**784.99** – Other symptoms involving head and neck
- New Code 788.64** – Urinary hesitancy
- New Code 788.65** – Straining on urination
- Code 793.9** – This code was re-classified as a new code subcategory and includes new codes:  
**793.91** – Image test inconclusive due to excess body fat  
**793.99** – Other nonspecific abnormal findings on radiological and other examinations of body structure
- New Code 795.06** – Papanicolaou smear of cervix with cytologic evidence of malignancy
- Code 795.8** – This new code subcategory was added to separately identify “Abnormal tumor markers” and includes new codes:  
**795.81** – Elevated carcinoembryonic antigen [CEA]  
**795.82** – Elevated cancer antigen 125 [CA 125]  
**795.89** – Other abnormal tumor markers

## 2007 ADDENDUM HIGHLIGHTS

- Code 958.9** – This new code subcategory was added to separately identify “Traumatic compartment syndrome” and includes new codes:  
**958.90** – Compartment syndrome, unspecified  
**958.91** – Traumatic compartment syndrome of upper extremity  
**958.92** – Traumatic compartment syndrome of lower extremity  
**958.93** – Traumatic compartment syndrome of abdomen  
**958.99** – Traumatic compartment syndrome of other sites
- Code 995.2** – This code was revised to read “Other and unspecified adverse effect of drug, medicinal and biological substance” and re-classified as a new code subcategory and includes new codes:  
**995.20** – Unspecified adverse effect of unspecified drug, medicinal and biological substance  
**995.21** – Arthus phenomenon  
**995.22** – Unspecified adverse effect of anesthesia  
**995.23** – Unspecified adverse effect of insulin  
**995.27** – Other drug allergy  
**995.29** – Unspecified adverse effect of other drug, medicinal and biological substance
- Code 995.91** – This code was revised to read “Sepsis.”
- Code 995.92** – This code was revised to read “Severe sepsis.”
- New Code V18.51** – Colonic polyps (family history of)
- New Code V18.59** – Other digestive disorders (family history of)
- New Code V26.34** – Testing of male for genetic disease carrier status
- New Code V26.35** – Encounter for testing of male partner of habitual aborter
- New Code V26.39** – Other genetic testing of male
- New Code V45.86** – Bariatric surgery status
- Code V58.3** – This code was revised to read “Attention to surgical dressings and sutures” and re-classified as a new code subcategory and includes new codes:  
**V58.30** – Encounter for change or removal of nonsurgical wound dressing  
**V58.31** – Encounter for change or removal of surgical wound dressing  
**V58.32** – Encounter for removal of sutures
- Code V72.1** – This code was re-classified as a new code subcategory and includes new codes:  
**V72.11** – Encounter for hearing examination following failed hearing screening  
**V72.19** – Other examination of ears and hearing
- Code V82.7** – This new code subcategory was added to separately identify “Genetic screening” and includes new codes:  
**V82.71** – Screening for genetic disease carrier status  
**V82.79** – Other genetic screening
- Code V85.5** – This new code subcategory was added to separately identify “Body Mass Index, pediatric” and includes new codes:  
**V85.51** – Body Mass Index, pediatric, less than 5<sup>th</sup> percentile for age  
**V85.52** – Body Mass Index, pediatric, 5<sup>th</sup> percentile to less than 85<sup>th</sup> percentile for age  
**V85.53** – Body Mass Index, pediatric, 85<sup>th</sup> percentile to less than 95<sup>th</sup> percentile for age  
**V85.54** – Body Mass Index, pediatric, greater than or equal to 95<sup>th</sup> percentile for age
- Code V86** – This new code category was added to separately identify “Estrogen receptor status” and includes new codes:  
**V86.0** – Estrogen receptor positive status [ER+]  
**V86.1** – Estrogen receptor negative status [ER-]

## PROCEDURE TABULAR

- New Code 00.44** – Procedure on vessel bifurcation
- New Code 00.56** – Insertion or replacement of implantable pressure sensor (lead) for intracardiac hemodynamic monitoring
- New Code 00.57** – Implantation or replacement of subcutaneous device for intracardiac hemodynamic monitoring
- New Code 00.77** – Hip replacement bearing surface, ceramic-on-polyethylene
- New Code 00.85** – Resurfacing hip, total, acetabulum and femoral head
- New Code 00.86** – Resurfacing hip, partial, femoral head
- New Code 00.87** – Resurfacing hip, partial, acetabulum
- New Code 01.28** – Placement of intracerebral catheter(s) via burr hole(s)
- Code 13.9** – This code was re-classified as a new code subcategory and includes new codes:  
**13.90** – Operation on lens, Not Elsewhere Classified  
**13.91** – Implantation of intraocular telescope prosthesis
- New Code 32.23** – Open ablation of lung lesion or tissue
- New Code 32.24** – Percutaneous ablation of lung lesion or tissue
- New Code 32.25** – Thoracoscopic ablation of lung lesion or tissue
- New Code 32.26** – Other and unspecified ablation of lung lesion or tissue
- Code 33.7** – This new code subcategory was added to separately identify “Endoscopic insertion, replacement and removal of therapeutic device or substances in bronchus or lung” and includes new codes:  
**33.71** – Endoscopic insertion or replacement of bronchial valve(s)  
**33.78** – Endoscopic removal of bronchial device(s) or substances  
**33.79** – Endoscopic insertion of other bronchial device or substances
- Code 35.53** – This code was revised to read “Repair of ventricular septal defect with prosthesis, open technique.”
- New Code 35.55** – Repair of ventricular septal defect with prosthesis, closed technique
- New Code 36.33** – Endoscopic transmyocardial revascularization
- New Code 36.34** – Percutaneous transmyocardial revascularization
- New Code 37.20** – Non-invasive programmed electrical stimulation [NIPS]
- Code 37.26** – This code was revised to read “Catheter based invasive electrophysiologic testing
- New Code 39.74** – Endovascular removal of obstruction from head and neck vessel(s)
- New Code 50.23** – Open ablation of liver lesion or tissue
- New Code 50.24** – Percutaneous ablation of liver lesion or tissue
- New Code 50.25** – Laparoscopic ablation of liver lesion or tissue
- New Code 50.26** – Other and unspecified ablation of liver lesion or tissue
- New Code 55.32** – Open ablation of renal lesion or tissue
- New Code 55.33** – Percutaneous ablation of renal lesion or tissue
- New Code 55.34** – Laparoscopic ablation of renal lesion or tissue
- New Code 55.35** – Other and unspecified ablation of renal lesion or tissue
- Code 68.4** – This code was re-classified as a new code subcategory and includes new codes:  
**68.41** – Laparoscopic total abdominal hysterectomy  
**68.49** – Other and unspecified total abdominal hysterectomy
- Code 68.6** – This code was re-classified as a new code subcategory and includes new codes:  
**68.61** – Laparoscopic radical abdominal hysterectomy  
**68.69** – Other and unspecified radical abdominal hysterectomy
- Code 68.7** – This code was re-classified as a new code subcategory and includes new codes:  
**68.71** – Laparoscopic radical vaginal hysterectomy  
**68.79** – Other and unspecified radical vaginal hysterectomy